

FISH FAUNA OF UPPER WALAWE RIVER BASIN

Grantee

Prof. J. Jinadasa

Research Assistants

Mr. H. M. B. K. Herath

Mr. J. M. H. S. K. Samarasinghe

FUNDED BY
NATIONAL SCIENCE FOUNDATION
2001

FR 1248

1.

A. Contract number- ZSSL/ 99/01

B. Title of project- Survey of fish fauna of Upper Walawe river basin

C. Institute where research was carried out – Department of Zoology University of Sri Jayewardenepura

D. Chief scientific Investigator- Prof. J.Jinadasa

E. Date of Award- 1999.03.15


F. Total allocation- Rs.684140.00

G. Total spent- Rs.629801.76


H. Time period covered by report- From 1999.03.15 to 2001.03.15

I. No of research assistant and the period service – two research assistance from the commencement project

J. Yes


.....
Chief Scientific Investigator

7/5/02


.....
Head of the Institution

-/5/7/12

ACKNOWLEDGEMENT

This research was funded by National Science Foundation (NSF), which is deeply appreciated.

NOTE

Research information embodied in this report will form a part of a thesis to be submitted for the partial fulfillment of M.Phil degree of the University of Sri Jayewardenepura. This information has not been published as research paper as yet. Therefore, no information from this report should be extracted either for teaching, research and publication purposes.

Contents

Acknowledgement	ii
Note	iii
Contents	iv
List of Table.....	v
List of Figures.....	vii
List of Plates	ix
Abbreviation Used	x
Chapter 1	Summary.....01
Chapter 2	Introduction.....04
Chapter 3	Study area06
Chapter 4	Material and method.....10
Chapter 5	Results.....13
Chapter 6	Discussion.....134
References138
Plates143

LIST OF TABLE

	Page No.
Table (I) Sampling station in each Tributary systems	08
Table (II) Fish composition of Tributary system I	16
Table (III) Variation of environmental parameters and population density of streams in Tributary system I	22
Table (IV) Fish composition of Tributary system II	25
Table (V) Variation of environmental parameters and population density of streams in Tributary system II	31
Table (VI) Fish composition of Tributary system III	33
Table (VII) Variation of environmental parameters and population density of streams in Tributary system III	40
Table (VIII) Fish composition of Tributary system IV	43
Table (IX) Variation of environmental parameters and population density of streams in Tributary system IV	49
Table (X) Fish composition of Tributary system V	52
Table (XI) Variation of environmental parameters and population density of streams in Tributary system V	59
Table (XII) Fish composition of Tributary system VI	63
Table (XIII) Variation of environmental parameters and population density of streams in Tributary system VI	74
Table (XIV) Fish composition of Tributary system VII	78
Table (XV) Variation of environmental parameters and population density of streams in Tributary system VII	88
Table (XVI) Species composition of fish in Upper Walawe basin	90
Table (XVII) Variation of Sorenson Index among Tributary systems	96
Table (XVIII) Variation of Sorenson index among elevational levels	98
Table (XIX) Variation of Jaccard's index among elevational levels	99
Table (XX) Cluster means of environmental and physical parameters	109

Table (XXI)	Maximum length, VBGF, curvature parameters and mortality Some major species	125
Table (XXII)	Means values of some environmental parameters of Tributary systems in Upper Walawe river basin.....	133

LIST OF FIGURES

Page No.

Fig. 1. Study area.....	07
Fig. 2 Variation of mean population density in Tributary system I	17
Fig. 3 Length Frequency distribution of fish in Tributary system I.....	18
Fig. 4 Variation of mean population density in Tributary system II.....	26
Fig. 5 Length Frequency distribution of fish in Tributary system II.....	27
Fig. 6 Variation of mean population density in Tributary system III	34
Fig. 7 Length Frequency distribution of fish in Tributary system III	35
Fig. 8 Variation of mean population density in Tributary system IV	44
Fig. 9 Length Frequency distribution of fish in Tributary system IV	45
Fig. 10 Variation of mean population density in Tributary system V.....	53
Fig. 11 Length Frequency distribution of fish in Tributary system V	54
Fig. 12 Variation of mean population density in Tributary system VI	65
Fig. 13 Length Frequency distribution of fish in Tributary system VI.....	66
Fig. 14 Variation of mean population density in Tributary system VII.....	79
Fig. 15 Length Frequency distribution of fish in Tributary system VII.....	80
Fig. 16 Rank abundance curve of fish found in the study area	93
Fig. 17 Variation of diversity indices	94
Fig. 18 Variation of Jaccard's Index among Tributary systems	95
Fig. 19 Distribution of fish according to elevation	100
Fig. 20 Rank abundance curve of different elevational range.....	101
Fig. 21 Variation of diversity indices among different elevational range.....	102
Fig. 22 Variation of environmental factors and species richness with elevation.....	103
Fig. 23 Cluster analysis streams based on environmental parameters	108
Fig. 24 Fecundity/length relationship of fish	111
Fig. 25 Length/Weight relationship of fish	115

Fig. 26 Analysis of food items in the diet of fish found in the area.....	120
Fig. 27 Recruitment pattern of <i>Rasbora daniconius</i>	126
Fig. 28 Recruitment pattern of <i>Puntius bimaculatus</i>	127
Fig. 29 Recruitment pattern of <i>Garra ceylonensis</i>	128
Fig. 30 Variation of mean environmental parameters among Tributary systems.....	132

LIST OF PLATE

		Page No.
Plate 1.	A dead Marsheer (<i>Torr kurdhee</i>) collected from Weli Oya, as a result of dynamiting.	143
Plate 2.	<i>Puntius nigrofasciatus</i> male, black variety, collected from Nikaul Oya.....	143
Plate 3.	<i>Puntius bimaculatus</i> red-stripped variety collected from Amilagama Ela.	144
Plate 4.	The most common species, <i>R. daniconius</i> in a shoal in Walawe river.	144
Plate 5.	<i>Garra ceylonensis</i> Larvae (0.5-1.0cm TL) in protected corners of Lemastota Oya.	145
Plate 6.	<i>Garra ceylonensis</i> adults, gathering in stony pool of Mulgama Oya.	145
Plate 7	Severely altered Weli Oya with heavy silt load due to earth slip in Koslanda	146
Plate 8	River bed gem mining in Mara Dola	146
Plate 9.	Highly sheltered stream, where <i>Rasbora daniconius</i> , <i>Puntius bimaculatus</i> , and <i>Garra ceylonensis</i> in associations.	147
Plate 10.	Highly productive habitat of <i>P. nigrofasciatus</i> in Bowatta Ela.....	147

Abbreviations Used

a	Constant
Am	<i>Amblypharyngodon melettinnus</i>
At	<i>Anabas testudineus</i>
b	Constant
Bs	<i>Belontia signata</i>
Cg	<i>Channa gachua</i>
Cl	<i>Chela laubuca</i>
Dm	<i>Danio malabaricus</i>
DO	Dissolved Oxygen Concentration
E	East
Em	<i>Etroplus maculatus</i>
Et	<i>Esomus thermocois</i>
Gc	<i>Garra ceylonencis</i>
IUCN	International Union for Conservation of Nature
L	Length
Lt	<i>Lepidocephalycthis thermalis</i>
Mk	<i>Mystis kelatius</i>
MSL	Mean Sea Level
N	North
Ob	<i>Ompok bimaculatus</i>
Om	<i>Oreochromis mossambicus</i>

Om	<i>Onchorynchus mykiss</i>
Pa	<i>Puntius amphibius</i>
Pb	<i>Puntius bimaculatus</i>
Pch	<i>Puntius chola</i>
Pd	<i>Puntius dorsalis</i>
Pf	<i>Puntius filamentosus</i>
Pn	<i>Puntius nigrofasiatus</i>
Pp	<i>Puntius pleurotaenia</i>
Pr	<i>Poecilius reticulata</i>
Ps	<i>Puntius sarana</i>
Rd	<i>Rasbora daniconius</i>
SE	Standard Error
Sn	<i>Sischura notostigma</i>
T	Temperature
TDS	Total Dissolved Solids
Tk	<i>Torr khurdee</i>
W	Weight